

# MULTIMASS XS & BOX

MX 





# The **MX MULTI-SERVICES** range of compact weights and boxes for filling

## **MULTIMASS XS**



## **BOX**



### **MODULAR**

- **MULTIBOX XS** storage box (optional)
- Towing clevis (optional)
- Up to two chainsaw holders (optional)

### **CONVENIENCE**

- Compatible with multiple linkage types
- Simple hitch pin adjustment
- Multiple storage options
- Automatic hitching for working implements (optional)
- Category 1N triangle hitching (optional)

### **COMPACTNESS**


- Minimal overhang
- Seamless integration
- Easier to handle

### **DESIGN**

- Other colours available: CNH black, John Deere green, AGCO grey (other: please ask)



# Technical specifications



**MULTIMASS  
250 XS**



**MULTIMASS  
400 XS**



**MULTIMASS  
600 XS**



**BOX 100L**



**BOX 150L**

Weight/volume	250 kg	400 kg	600 kg	<b>100L</b> (300 kg if filled with concrete at a density of 2.4)	<b>150L</b> (430 kg if filled with concrete at a density 2.4)
Overhang (O)	Cat. 1N: 185 to 305 mm** Cat. 1 and 2: 243 mm	Cat. 1N: 205 to 325 mm* Cat. 1 and 2: 255 mm	Cat. 1 and 2: 295 mm	Cat. 1N: 205 to 325 mm** Cat. 1 and 2: 255 mm	Cat. 1 and 2: 295 mm
Height (H)	400 mm	550 mm	550 mm	550 mm	550 mm
Width (W)	768 mm	878 mm	969 mm	878 mm	969 mm
Depth (D)	440 mm	460 mm	500 mm	460 mm	500 mm
Hitching cat. 1N*	✓	✓	✗	✓	✗
Hitching cat. 1 and 2*	✓	✓	✓	✓	✓
Customised colours*	✓	✓	✓	✓	✓
Tool holder	✓	✓	✓	✗	✗
Lower pin vertical adjustment	✓	✓	✓	✓	✓
Lower pin depth adjustment	✓	✓	✗	✓	✗
Closing cover	✗	✗	✗	✓	✓
<b>MULTIBOX XS</b> • 52 litres • Customised colours*	□	□	□	✗	✗
Towing clevis	□	□	□	✗	✗
<b>Automatic hitching kit</b> Dimensions: between 450 and 660 mm long off-pins and 35 mm maximum thickness (not included)	□	□	□	□	□
<b>1N triangular hitching kit</b>	□	□	✗	□	✗
<b>Chainsaw holder</b> (up to 2 holders per weight)	□	□	□	□	□

Key: ✓: standard equipment/□: optional equipment/✗: equipment not compatible/\*: optional at the time of ordering/\*\*: depending on lower pin adjustment





**MX**   
part of M-extend

