# **MULTIBUMPER**









## **MULTIBUMPER**

# THE MX BUMPER: MULTI-USE AND MODULAR WITH A CUSTOMISABLE DESIGN


#### **INTEGRAL STORAGE**

Storage box integrated between the linkage arms, resulting in minimal overhang. Large capacity of 94 litres. Can be locked with a padlock.




#### **EASY TO HITCH**

3-point, category 2 interface fitted with 4 lower pin positions.



- Depth adjustable by 11 cm.
- Height adjustable by 7 cm.



Built-in 7-pin socket, with a 3 m maleto-male spiral cable for a neat, secure connection.



#### **ROAD DIMENSIONS VISIBLE**

to other road users, including from the driver's seat.

Contour lights with integrated indicators for clear signalling at night and optimal warning of a change of direction. They are made from deformable plastic, and hinged for impact protection.









4 LED position lights to accentuate and **highlight the width of the machine.** 




Wide **retro-reflective** (up to 250 m) warning panels **effective both day and night.** TPESC Class B approved markings.

#### **CONVENIENCE ON THE MOVE**

The central guide pole and the 2 side marker poles allow a clear appreciation of the tractor's front overhang and facilitate assessment of its width. The side poles are mounted on pivots, allowing them to flex in the event of snagging.

#### **UNDERRUN PROTECTION SIDE PANELS**

The panels are width- and tilt-adjustable without tools, to match the size of the tractor.



In the event of an underrun, the panels provide safety:

- Deformable steel structure and broad bumper surface.
- Panels are 50 cm high, giving better distribution of force in the event of an impact.
- The panels begin to deform above 1,500 kg of pressure, to absorb impacts.
- Fusible retraction (shear bolt) of panels if snagged when reversing.







Integrated towing clevis with Ø30 mm pin and safety clip supplied as standard.

Not intended for hitching to a trailer.

### OPTION:

- 3-point interface and side panel kit in tractor chassis colours.
- Trim customisable in colour of the tractor bonnet.












Discover all the possible options on page 7.

## MULTIBUMPER FEATURES












Configuration	Single 3-point interface	Side panel kit	MULTIBUMPER PACK	MULTIMASS 600/900 + side panel kit	MULTIMASS 1200/1500 + side panel kit
Weight	85 kg	70 kg	I92 kg	with MULTIMASS 600: <b>670 kg</b> with MULTIMASS 900: <b>970 kg</b>	with MULTIMASS 1200: <b>1270 kg</b> with MULTIMASS 1500: <b>1570 kg</b>
Width (W)	1200 mm	-	2.15 m < L < 3.05 m	2.15 m < L < 3.05 m	2.35 m < L < 3.25 m
Height (H)	500 mm	500 mm	500 mm	500 mm	500 mm
Depth (D)	475 mm	-	550 mm	585 mm	675 mm
Min overhang (F)	250 mm	-	250 mm	385 mm	475 mm
		COI	MPATIBLE EQUIPMEN	VT	
Integrated storage box between linkage arms (94 L)		-	<b>☑</b> *	-	-
Extra weights MULTIMASS 400AD (400 kg) 2		-			
MULTIBOX storage box (168 L) (3)		-		0	
Central guide pole	Ø	-	Ø	Ø	Ø
Side marker poles + light kit	-	<b>☑</b> *	₫*	☑*	☑*
Hitching type	3 pts	-	3 pts	3 pts and auto	3 pts and auto
Hitching category	cat 2	-	cat 2	cat 2 to 4	cat 2 to 4

 $\hfill\Box$  option

- not compatible

 $^{st}$  opt-out possible



a : 686 mm b:584 mm

c:491 mm

d:404 mm

e : 328 mm
























## CUSTOMISABLE DESIGN: YOUR CHOICE OF COLOUR

## MATCH THE TRACTOR CHASSIS COLOUR

#### Offered on request, at no extra cost

The interface and side panel kit are available as standard in MX titanium grey. To perfectly complement your tractor, they are also available on request in:

- John Deere green
- AGCO grey
- CNH black



MX titanium grey



AGCO grey

TRIM COLOUR CAN ALSO BE CUSTOMISED,



SUBJECT TO RAL AVAILABILITY.

John Deere green



CNH black



Black & red

Black & orange





Grey & green



Grey & red



Black & blue



Black & green











